

PATENT

CERTIFICATE OF ELECTRONIC TRANSMISSION

I hereby certify that this correspondence is being electronically transmitted via EFS-WEB on September 16, 2008.

<u>/kurt l grossman/</u>	<u>September 16, 2008</u>
Kurt L. Grossman	Date
Reg. No. 29,799	

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.	7,306,586
Issue Date:	December 11, 2007
Serial No.:	10/749,063
Filed:	December 30, 2003
Examiner:	Theodore J. Stigell
Confirmation No.:	7404
Art Unit:	3763
Applicant[s]:	Spencer W. Beaufore and Glenn D. Brunner
Title:	CONTINUOUS DRAINAGE ADAPTOR
Atty. Doc.:	OPMI-07

Cincinnati, Ohio 45202

September 16, 2008

MAIL STOP Certificate of Correction Branch

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 C.F.R. 1.322(A))**

It is respectfully requested that a Certificate of Correction be issued for the patent identified in the heading. The patent contains a printing error that occurred through the fault of the Patent Office as follows:

The exact page and line number where the error is shown in the application file is:

Claim 17, Column 9, line 31, "a second pinch fib" should be -- a second pinch
rib --

In accordance with the established procedure for handling such certificates, form PTO-1050 (Substitute Form PTO-76-22) is concurrently filed herewith listing the error.

Please send the certificate to the undersigned. It is believed that there is no fee due with this submission. If any charges or credits are necessary to complete this communication, please apply them to Deposit Account 23-3000.

Respectfully submitted,
WOOD, HERRON & EVANS, L.L.P.

By: /kurt l grossman/
Kurt L. Grossman, Reg. No. 29,799

2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917
Voice: (513) 241-2324
Facsimile: (513) 241-6234

Staple
Here
Only

Printer's
Trim
Line

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO.: 7,306,586

Page 1 of 1

DATED: December 11, 2007

INVENTOR(S): Spencer W. Beaufore and Glenn D. Brunner

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 17, Column 9, line 31, "a second pinch fib" should be -- a second pinch rib --

MAILING ADDRESS OF SENDER:

WOOD, HERRON & EVANS, L.L.P.
2700 Carew Tower, 441 Vine Street
Cincinnati, Ohio 45202

SUBSTITUTE FORM PT076-22

PATENT NO. 7,306,586
No. of add'l copies
@ 50c per page